


ealer Name	BSO No	_
ddress	Ship To	_
ity & State	Address	_
old To	City & State	_
ddress	Ship Via: Truck □ Dealer Pick-up □ Rail □	




City & State

0					
-5	pe	CITI	ca	tio	ns ·
	-				

SLEEPING CAPACITY	U.S. STD. 6	METRIC 6	HEIGHT FROM WATERLINE (clearance)	J.S. STD.	METRIC
LENGTH	15'0" 49½"	13.71 m 4.57 m 1.26 m 2.20 m	With Mast Up	3'2"	5.26 m 4.01 m 4.95 m
FREEBOARD, AFT	5'9%"	1.77 m	FUEL CAPACITY 6 FRESH WATER CAPACITY 2	oo garo.	2 271 I 1 892 I

HULL — Material .												Fiberglass
Method .												Hand Layup
Finish												Gelcoat, Glossy
DECKS - Material												Fiberglass
Method												Hand Layup
Finish .												Gelcoat, Vinyl
												Textured
SUPERSTRUCTUR	31	E	_	N	la	te	ri	al				Fiberglass
				N	1e	th	0	d				Hand Layup
				F	ir	is	h					Gelcoat, Glossy and Vinyl Textured
												villyi rextureu

Chris * Craft 45' FLUSH DECK



DOWED	Boat List Price \$	
POWER	ENCINES C.M. OV 71N 220 H.D. 2.1	
	ENGINES—G.M. 8V-71N, 320 H.P., 2:1	C+d
	Reduction, Hydraulic Shift	Std.
	COOLING, Fresh Water	Std.
	FILTERS, Fuel	Std.
	METERS, Engine Hour	Std.
	MUFFLERS, Fiberglass	Std.
	STRAINER, Water	Std.
HULL		
	BOOT TOP	Std.
	CHINE, Wave Deflecting	Std.
	DEFLECTOR, Exhaust, P&S	Std.
	INLETS, 115V, 50 Amp., (2), P&S	Std.
	PAINT, Bottom, Anti-Fouling	Std.
	RUB RAILS, 1", S.S., Capped at Sheer	Std.
	SHEER STRIPE	Std.
□B018	_STEPS, Transom, C.P.,w/Teak Leveling	
	Blocks	270.00
□A625	SWIM PLATFORM, Transom, w/Bracket	
	Teakwood-w/Ladder to Deck, Fold Do	
	Ladder to Water, and Handrail Gate	2,690.00
	VENT, Fuel Overflow, Screened	Std.
	VENTS, Engine Air Intake, P&S	Std.
UNDER		
UNDER	BEARINGS, Struts, Bronze,	
	w/Fluted Rubber Liner	Std.
		Std.
□ A co2	PROPELLERS, Bronze, Four Blade	932.00
□A602	PROPELLERS, Extra Pair	Std.
	RUDDERS, Bronze	Stu.

	Total Brought Forward \$	
□A949	LADDER, B&S, Side Mount,	
	w/Mounting Plates, P&S	360.00
	LIGHTS, Boarding, P&S, 12V	
	(See Lights for Price)	
	LIGHTS, Ceiling, (2), 12V	Std.
	RAILS & STANCHIONS, S.S., w/Teakwood	
	Varnished Cap and Intermediate Life Lines	Std.
	SCUPPERS, P&S	Std.
	SIDESHIELD, Sliding	Std.
□A954	SILL COCK, (1), Fresh Water Washdown	140.00
	STAFF & FLAG, Stern, S.S.	Std.
	WEATHER CLOTHS, Vinyl	Std.
MOORIN	G AND GROUND TACKLE	
	ANCHOR, 40 lb., Chocked on Forward Deck	Std.
	BOAT HOOK & CLIPS, on Forward Cabin	
	Roof, 9', P&S	Std.
	CHOCKS, Anchor & Mooring, Bronze,	
	6", P&S	Std.
□B003	_FENDERS, 10"x26", Air Filled,	
	Set of 2, w/Line & Pump	80.00
	LINE, Anchor, 200' x 5/8", Nylon	Std.
	LINES, Mooring, 35' x 5/8", (2); 50'	
	x 5/8", (2), Nylon	Std.
□A943	_WINDLASS, Electric Anchor,	
		,275.00
LIGHTS		-
LIGITIO	ANCHOR, On The Mast	Std.
□A645	BOARDING, P&S, at Side Gates	170.00
□ A962	DOCKING, Bow, 12V, P&S	460.00
	INTERNATIONAL N	044

	Total Brought Forward \$	
□A970	OUTLET, 115V Duplex, Waterproof	55.00
	PANS, Drop, Under Engines, Fiberglass	Std.
	PUMP, Bilge, Engine Driven, Auxiliary	850.00
	SWITCHES, Battery Disconnect	Std.
	VALVE, Shore Water, Reducing	
	& Water Tank Fill	Std.
	VALVES & STRAINERS, Fuel Supply,	
	Aft Bulkhead	Std.
	WATER PRESSURE SYSTEM, Amidship	
	to Starboard	Std.
BILGES	10 0141 2041 4	
DILGEO	PLUG, Hull Drain	Std.
	PUMPS, Bilge, (2), 12V	Std.
	SEACOCKS, on Thru Hull Fittings,	otu.
	Below Waterline	Std.
	TANKS, Holding, w/Dockside	otu,
	& Overboard Discharge*	Std.
OONTDO		otu.
CONTRO		044
	ACCESSORY MODULE, for Switches	Std.
	ALARMS, Visual & Audio	Std.
	AUTO PILOT (See Electronics for Price)	
	AUTO PILOT, Hand Held Remote	
	(See Electronics for Price)	0.1
	COMPASS, 5", Illuminated	Std.
	CONSOLE FACE, Hinged for Access	Std.
	CONTROLS, Clutch & Throttle,	0.1
	Positive Action	Std.
	ELECTRONICS (Engineered Locations	0.1
	in Panel)	Std.

Below Waterline	Std.	☐ A914SEARCHLIGHT, Electric, Remote, Temp., Engine Oil, Transmission Oil	
SHAFTS, S.S., 1%" Dia.	Std.	1 Mile Ray for Hardtop Mount, Temp. & Volt Meter	Std.
A799SHAFT, Extra, Each (Full Length)	470.00 350.00	12V, Includes Weblon Cover 995.00 FIRE EXTINGUISHER, 2% lb.	Std.
□A797SHAFT, Extra Tail, Each □A796SHAFTS, Split, Including Couplers	800.00	□A939 SEARCHLIGHT, Electric, Remote, LOCKER, For Accessory	0.1
SHAFT LOGS, Fiberglass	Std.	1 Mile Ray, Dual Station, 12V, Includes Weblon Cover 1,135.00 A970 Switches and Gauges OUTLET 115V Duplex Waterproof	Std. 55.00
SKEG, Fiberglass	Std.	Includes Weblon Cover 1,135.00 A970 OUTLET, 115V Duplex, Waterproof SEARCHLIGHT, Hand Portable Type,	00.00
STRAINER, Water, External		w/Jack, 12V 55.00 w/Jack, 12V (See Lights for Price)	
Engine Intakes, Bronze	Std.	ELECTRICAL SEAT. Helm, Adjustable,	
STRUTS, Intermediate, Bronze	Std. Std.	BONDED, Major Components Std. w/Footrest and Cushions	Std.
STRUTS, Main, Vee, Bronze STUFFING BOX, Bronze, Adjustable,	otu.	CIRCUIT BREAKER FUSING, AC & DC Std. SHUTOFFS, Manual, for Diesel Engines	Std.
w/Packing Gland, Water Cooled	Std.	GENERATING PLANT, 12 KW, 115/230V STEERING, Hydraulic	Std.
TRIM TABS, Electro Mechanical,	812610.5	AC Diesel, Fresh Water Cooled, Remote SWITCH, Battery Paralleling Start Station & Indicator Lights, SWITCH, Ignition & Security	Std. Std.
w/Controls at Bridge	Std.	Muffler, Fuel Filter Std SWITCH, 3 Position for VHF, Loud Hailer	otu.
ZINCS, Anti-Electrolysis	Std.	LIGHTNING/SURGE ARRESTER Std. & S.S.B., w/Microphone and Speakers	
SUPERSTRUCTURE	0.1	□A974OUTLETS, Additional, Duplex Above Headliner	Std.
DRIP MOLDING, Hardtop	Std.	115V AC, Each 45.00 TACHOMETERS, Waterfall Type,	
HORN, Dual Trumpet, Hardtop Mount	Std. Std.	□ A970OUTLETS, Additional, Duplex 115V, w/Synchronizing Light, Shielded to	0.1
MAST, w/Anchor Light & Spreaders RAILS, S.S., Forward Cabin Top	Std.	Waterproof, Each 55.00 Avoid Compass Deviation PANELS, Electrical Distribution, AC-DC Std. TEST PANEL, for Running Lights	Std. Std.
A628 WINDSHIELD WASHER, 3 Section	290.00	PANELS, Electrical Distribution, AC-DC Std. TEST PANEL, for Running Lights RECTIFIER, 40 Amps., Auto Charge WHEEL, Steering, S.S.	Std.
WINDSHIELD WIPERS, 3	Std.	& Disconnect Std. WINDSHIELD OPENER, Electric	Std.
FOREDECK		SOUND SHIELD, for 12 KW Generator Std. COMMAND BRIDGE (OPTIONAL)	
ANCHOR (See Ground Tackle)	Std.	WIRING, Dockside, 2 - 115V AC, 50 Amp. □ A621 RRINGF—Includes the following 1	0,800.00
CLEATS, Mooring, (2), S.S., 15"	Std.	Inlets, P&S, and 50' Shore Cable, w/Adapter BIN, w/Lock for Electronic Remotes	
CHAFING STRIPS, 37½", S.S., P&S	Std.	to split 230V into 2 - 115V lines Std. COMPASS, 5", Illuminated	
CHOCKS, S.S., 6", P&S HATCH, Cast Aluminum,	Std.	ELECTRONICS COVER, Instruments & Switches,	
Screened, w/Deadlight	Std.	□B065ANTENNA, Television, Color, Installed w/2 Outlet Jacks, 75 Ohm Coaxial Cable Hinged Plexiglass CUSHION, for Aft Facing Seat	
PIPE, Rope Deck, S.S.	Std.	Wiring. Does not include TV set 275.00 INSTRUMENTATION & CONTROLS,	
A996PIPE, Rope Deck, Additional,		□A976AUTO PILOT, w/Course Changer, 12V 1,990.00 Engines, Complete	
w/Partitioned Rope Locker	165.00	□B001AUTO PILOT, Hand Held Remote, RAILS, S.S.	
RAIL, Bow, 30"High, S.S.,w/Stanchions	Std.	for Lower Station 210.00 SEAT, Aft Facing	
SEAT, Scuppered, w/Storage Below and Cushions	Std.	A992 AUTO PILOT, Hand Held Remote, SEAT, Pilot	
□ A954SILL COCK, (1), Fresh Water Washdown	140.00	for Optional Bridge 210.00 SWITCH, 3 Position for V.H.F., A908 DEPTH SOUNDER, Lower Station 360.00 Loud Hailer, S.S.B. w/Microphone	
STAFF & PENNANT, Bow, S.S.	Std.	□ A908 DEPTH SOUNDER, Lower Station 360.00 Loud Hailer, S.S.B. w/Microphone □ A904 DEPTH SOUNDER, for Optional Bridge 390.00 WEATHER CLOTH	
SIDE DECKS	520 0	HI FI SYSTEM, AM, FM & FM Multiplex WHEEL, Steering, S.S.	
BULWARK CAP, Teak	Std.	Stereo Receiver and Amplifier WINDSHIELD	
CLEATS, Spring, 12", S.S., (2), P&S,		w/Stereo Tape Player Std. AUTO PILOT, Remote (See Electronics for	Price)
w/27½" S.S. Chafing Strips	Std.	□B078 LOUD HAILER, Electronic, Continuous DEPTH SOUNDER, (See Electronics for Pri	ice)
B012 INLETS, Telephone, Chrome	150.00	75 Watt Output, Weather Resistant REMOTE, for VHF-FM Radio Telephone Speaker, Back-Lighted Panel 480.00 (See Electronics for Price)	
Plated, P&S, w/2 Jacks □ B097RAILS & STANCHIONS, S.S., and	150.00	Speaker, Back-Lighted Panel 480.00 (See Electronics for Price) □B014RADAR, Decca Super 101, Includes SEARCHLIGHT, Electric, Remote Control,	
Intermediate Life Lines	Std.	Tuning & Testing 7,590.00 Dual Station (See Lights for Price)	
□A641RAILS & STANCHIONS, S.S.,	10000	□A984RADIO TELEPHONE, VHF-FM 12 □B008TOP, Folding	670.00
w/Teakwood, Cap Varnished	1,100.00	Channels w/Antenna, fully crystalized. B023TOP, Folding, w/Clear Windshield	20000000
SHORE WATER CONNECTORS, P&S,		Does not include final tuning & testing 1,650.00 and Side Curtains	1,290.00
Valved Direct to Fresh Water System or Tank	Std.	□A986REMOTE, for VHF-FM Radio Telephone, on Optional Bridge 750.00 FOREPEAK	
VENTILATORS, S.S., (2), P&S, Cowl Typ		ENGINE ROOM PARTITIONED, for Two Anchor Lines	
to Coast Guard Requirements	Std.	BATTERIES, 2 - 12V, 220 Ampere Hour Std. (See Fore Deck for Price)	
AFT DECKS		BATTERY BOXES, w/Covers Std. LOCKER, Rope, Scuppered to Bilge	Std.
BULWARK CAP, Teak	Std.	BLOWER, Bilge, 12V Std.	
CLEATS, Mooring, S.S., 12", P&S	Std.	FIRE EXTINGUISHING SYSTEM, FORWARD HEAD	
CONTROLS	Std.	Automatic, Forward to Starboard Std. FAN, Exhaust	Std.
A649CURTAINS, Dacron, Side & Aft,	890.00	GENERATOR, 12 KW, Forward Portside Std. FLOOR COVERING, Vinyl HOT WATER HEATER, 12 Gals., Amidship GLASS & TOOTHBRUSH HOLDER	Std. Std.
for Hardtop □B016DAVITS, Dinghy, Stern Mounted	975.00	HOT WATER HEATER, 12 Gals., Amidship to Starboard Side, w/Cutoff Valve Std. HATCH, Bilge Access	Std.
FUEL FILL, S.S., Amidships, Aft	Std.	INSULATION Std. HATCH, Cast Aluminum, Vented,	Ju.
GATES, Boarding, P&S	Std.	LIGHTS, (2), 12V, (2) Fluorescent Std. w/Screen and Deadlight	Std.
The state of the s	CHARLES P.C. P.		
Carry Total Forward \$		Carry Total Forward \$ Carry Total Forward \$	
ourry rotal rotation		Sur, Island Villad V	

				Total Brought Forward \$	
Total Brought Forward \$		Total Brought Forward \$		HEADBOARDS , Upholstered	Std.
그는 그들은 그는 그는 그는 그는 그들은	Std.	SINK, w/Hot/Cold Water Pressure	T	JACK, Telephone, Above Night	
LIGHTS, (3), 12V LOCKERS, Medicine and Linen Storage, (3)	Std.	w/Spray Hose	Std.	Stand (See Side Deck for Price)	
LUCKERS, Wedicine and Lineil Storage, (5)	Std.	STOVE, 3-Burner, w/Oven and Rotisserie,	otu.	JACK, T.V. (See Electronics for Price)	2.0
OUTLET, (1), 115V Duplex	Std.	and Cover, w/Cutting Board, 115V	Std.	LIGHTS, Overhead, (3), 12V	Std.
PORTLIGHT & SCREEN, Starboard	otu.	WALL COVERING, Paint and Vinyl, HPL	Std.	LOCKERS, w/Folding Doors	0.000
SHOWER, w/Seat, Sump Pump, Light,	Std.	WINDOWS, w/Screens, Sliding	Std.	over Berths, Aft	Std.
Door and Soap Holder	Std.		otu.	MIRRORS, Over Dresser	Std.
SINK, Hot & Cold Water		MAIN SALON	04.1	OUTLETS, (2), 115V Duplex	Std.
TISSUE HOLDER	Std.	AIR CONDITIONING UNIT, w/Controls	Std.	PANEL, to Rudder & Trim	
TOILET, Electric*	Std.	CARPETING, w/Keepers	Std.	Tab Mechanism	Std.
TOWEL BARS, (2)	Std.	A633CHAIR, Occasional, Each (Does	015.00	PORTLIGHTS & SCREENS, (1) Port,	
FORWARD STATEROOM		not include Fabric)	215.00	(1) Starboard	Std.
BERTHS, Upper & Lower,		COMPANIONWAY, w/Door, to	0.1	TOILET COMPARTMENT	Std.
w/Upholstered Headboard	Std.	Aft Stateroom	Std.	WALL COVERING, Vinyl	Std.
BERTH COVERS	Std.	COMPANIONWAY, w/Sliding Door,	0.1	MASTER HEAD	
CARPETING, w/Keepers	Std.	to Forward Stateroom	Std.	BATH, Tub w/Shower, Sump Pump	
DOOR, Companionway, Sliding,		COMPANIONWAY, w/Door, Hatch and		& reinforced, plastic, bi-fold door	Std.
to Main Salon	Std.	Handrail, to Bridge	Std.	COUNTERTOP, HPL	Std.
DOOR, to Forward Head	Std.	DRAPERIES, w/Valance	Std.	DRAPERIES	Std.
DRAPERIES	Std.	DRAWERS, Under Starboard Side Deck	Std.	FAN, Exhaust	Std.
DRAWERS, (2), Below Lower Berth	Std.	GLASS, Tinted	Std.	FLOOR, Fiberglass	Std.
DRESSER, w/Locker and 4 Drawers Below	Std.	JACK, Telephone, Aft to Port		GLASS & TOOTHBRUSH HOLDER	Std.
FIRE EXTINGUISHER, 2½ lb.	Std.	(See Side Deck for Price)		LIGHTS, Ceiling, (2), 12V	Std.
LIGHTS, Reading, (2), 12V At Berths		JACK, T.V., Aft to Starboard)	LOCKERS, Linen, (2)	Std.
and (2) at Dresser	Std.	(See Electronics for Price)		MEDICINE STORAGE	Std.
LOCKER, Hanging, Double Door	Std.	LIGHTS, Reading, (2), 12V	Std.	MIRRORS, Sliding, (2)	Std.
LOCKERS, Storage, Aft Bulkhead		LIGHTS, Valance, Fluorescent, 115V	Std.	OUTLET, (1), 115V Duplex	Std.
and Above Companionway	Std.	LOCKERS, Under Side Decks	120 10	PORTLIGHT & SCREEN, (1)	Std.
MIRROR, Above Dresser	Std.	at Companionway	Std.	SINK, Lavatory, Porcelain	Std.
OUTLETS, (2), 115V Duplex	Std.	LOUNGE, Convertible	Std.	SOAP DISH	Std.
OUTLET, Air Conditioning	Std.	MIRROR, Forward Bulkhead	Std.	TISSUE HOLDER	Std.
PANEL, Removable, to Engine Room	Std.	OUTLETS, 115V Duplex,		TOILET, Electric, w/Macerator*	Std.
PORTLIGHTS & SCREENS, (2) Port,	5-553 Hills	Forward, P&S, (2)	Std.	TOWEL BARS, (3)	Std.
(1) Starboard	Std.	PANELING, Teak and Vinyl	Std.	WALL COVERING, Vinyl	Std.
SHELF, Above Dresser	Std.	STEREO CONTROLS	Std.	WATER, Hot & Cold Pressure System	Std.
GALLEY		A642TABLE, Hi-Lo, Drop Leaf	475.00		otu.
CONTAINER, Waste, Plastic	Std.	□A632TABLE, End	120.00	MISCELLANEOUS	044
COUNTERTOP, HPL, w/Hinged Extension	Std.	WINDOWS & SCREENS, Sliding, P&S	Std.	BELL, Fog	Std.
DAMP CHASER	Std.	MASTER STATEROOM		□ B039FILTÉR, Ăqua-Pure in Fresh Water	05.00
DISPOSAL, Garbage	Std.	AIR CONDITIONING UNIT, w/Controls	Std.	System, Taste/Odor	95.00
DRAPERIES, w/Valances	Std.	BEDS, Twin	Std.	□B035FILTER, Aqua-Pure in Fresh Water	05.00
DRAWERS, (5)	Std.	BEDSPREADS	Std.	System, Dirt, Rust	95.00
FIRE EXTINGUISHER, 2½ lb.	Std.	CARPETING, w/Keepers	Std.	JACKETS, Life, (6)	Std.
FLOOR COVERING, Carpet	Std.	DOOR, to Companionway, Forward	Std.	MANUAL, Owners	Std.
LIGHT, (1), 115V	Std.	DRAPÉRIES	Std.	RINGS, Life, (2)	Std.
LOCKERS, (8), for Dishes, Groceries, Etc.	Std.	DRESSER, Drawers (8)	Std.		
OUTLETS, 115V Duplex, (2)	Std.	HATCH, to Deck, w/Screen			
REFRIGERATOR, 19.7 Cu. Ft., w/Freezer,	35/500	and Ladder	Std.		
Coppertone, w/Ice Cube Maker	Std.	HATCHES, to Seacocks, Strut Bolts, Etc.	Std.	Total Cost \$	
Carry Total Forward \$		Carry Total Forward \$		Deposit \$	
				Balance \$	
				Durance w	

(*) DEALER REPRESENTS THAT THE MARINE TOILET(S) SPECIFIED IN THIS ORDER DOES OR WILL COMPLY WITH ANY APPLICABLE LAWS OF THE STATE(S) IN WHICH THE DEALER IS LOCATED AND IN WHICH THE BOAT WILL BE SOLD.

ALL PRICES ARE F.O.B. FACTORY, PRICES AND SPECIFICATIONS CONTAINED IN THIS LITERATURE ARE BASED ON THE LATEST PRODUCT INFORMATION AVAILABLE AT THE TIME OF PUBLICATION APPROVAL. OPTIONAL EQUIPMENT PRICES APPLY ONLY WHEN INCLUDED ON THE ORIGINAL ORDER AND INVOICED WITH SAME. THE RIGHT IS RESERVED TO MAKE CHANGES AT ANY TIME WITHOUT NOTICE IN PRICES, COLORS, MATERIALS, EQUIPMENT, SPECIFICATIONS AND MODELS AND ALSO TO DISCONTINUE MODELS. EQUIPMENT AND ACCESSORIES PICTURED BUT NOT INCLUDED IN THE LIST OF STANDARD EQUIPMENT ITEMS WILL BE FURNISHED AT EXTRA COST IF AVAILABLE IRRESPECTIVE OF THE PLACE OF MANUFACTURE. THE RIGHT

IS RESERVED TO SHIP FROM ANY CHRIS-CRAFT FACTORY, ALL ORDERS ACCEPTED SUBJECT TO PRICES PREVAILING AT THE TIME OF SHIPMENT, CHRIS-CRAFT SHALL NOT BE LIABLE FOR ANY LOSS OR DAMAGE BECAUSE OF FAILURE TO DELIVER ITS PRODUCTS OR BECAUSE OF DELAY IN THE DELIVERY OF SAME. IF DEALER FAILS TO ACCEPT AND PAY FOR THE BOAT AND EQUIPMENT ORDERED HEREUNDER WHEN READY FOR DELIVERY, CHRIS-CRAFT MAY RETAIN AS LIQUIDATED DAMAGES AND NOT AS A PENALTY, DEALER'S DEPOSIT HEREUNDER WITHOUT PREJUDICE TO OTHER RIGHTS OR REMEDIES. ORDERS ARE SUBJECT TO ACCEPTANCE ONLY AT CHRIS-CRAFT CORPORATION, POMPANO BEACH, FLORIDA, 33060.

Total Brought Forward \$